

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51393	timer near8 delay\$3 (reconfiguration)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/13 17:57
L2	12	timer near8 delay\$3 near9 (reconfiguration)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/13 17:58
L3	481	delay\$3 near9 (reconfiguration)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/13 17:59
L4	4	delay\$3 near9 (reconfiguration) near9 (cell adj3 update)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/13 17:59
L5	76	(reconfiguration) near9 (cell adj3 update)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/13 18:18
S1	3529	(cell near2 updat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 21:31
S2	107	(cell near2 updat\$4) and UTRAN and UMTS and (reconfiguration or reconfigur\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 21:33
S3	40	UTRAN and UMTS and ((reconfiguration or reconfigur\$4) same (cell near2 updat\$4))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 21:59
S4	0	(UTRAN or bs or (base adj station)) near5 (send\$4 or transmit\$4) near5 (reconfigur\$4 near2 command) near5 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 22:03
S5	0	(UTRAN or bs or (base adj station)) near5 (send\$4 or transmit\$4) near5 (reconfigur\$4 near5 command) near5 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 22:04
S6	3	(UTRAN or bs or (base adj station)) near5 (send\$4 or transmit\$4) near5 (reconfigur\$4) near5 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/18 22:23

EAST Search History

S7	49	((UTRAN or bs or (base adj station)) near5 (send\$4 or transmit\$4) near5 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same (cell near2 updat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:18
S8	14	((bs or (base adj station) or ap or (access adj point)) near7 (send\$4 or transmit\$4 receiv\$4) near7 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same (cell near2 updat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:18
S9	136	((bs or (base adj station) or ap or (access adj point)) same (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same (cell near2 updat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 18:45
S10	281	((bs or (base adj station) or ap or (access adj point)) near7 (send\$4 or transmit\$4 receiv\$4) near7 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same ((cell near2 updat\$4) or roam\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:25
S11	45	((bs or (base adj station) or ap or (access adj point)) near7 (send\$4 or transmit\$4 receiv\$4) near7 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same ((cell near2 updat\$4) or roam\$4) same (reconfigur\$4 or set\$4 or adjust\$4 or adapt\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 18:52
S12	18	((bs or (base adj station) or ap or (access adj point)) near7 (send\$4 or transmit\$4 receiv\$4) near7 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same ((cell near2 updat\$4) or roam\$4) same (configur\$4 or reconfigur\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 18:53
S13	89	(delay\$4 or suppress\$4 hold\$4 or postpon\$4) near8 (cell near2 updat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:46
S14	0	S10 and S13	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:22

EAST Search History

S15	1258	(rnc or (radio adj network) or UMTS or Utran or (bs or bsc or (base adj station) or ap or (access adj point)) near7 (send\$4 or transmit\$4 receiv\$4) near7 (UE or MS or MT or (mobile or portable or wireless) adj (terminal or device or phone or telephone))) same ((cell near2 updat\$4) or roam\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:28
S16	14	S15 and S13	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/01/19 20:28
S17	2942	455/456.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/05 12:13
S20	121	((updat\$4 or reconfigur\$4) near3 ((cell\$4 or portable or wireless or mobile) adj (phone or telephone or device or terminal))) with (cell near2 (updat\$4 or configur\$4 or reconfigur\$4))	US-PGPUB; USPAT	OR	OFF	2007/02/05 12:33
S21	13	S17 and S20	US-PGPUB; USPAT	OR	OFF	2007/02/05 12:21
S22	108	S20 not S21	US-PGPUB; USPAT	OR	OFF	2007/02/05 12:33
S23	13	S22 and (cell adj updat\$4)	US-PGPUB; USPAT	OR	OFF	2007/02/05 14:16
S24	48	(cell adj updat\$4).ab,ti.	US-PGPUB; USPAT	OR	OFF	2007/02/05 15:03
S25	7	(cell adj updat\$4) same ((activat\$4 or configur\$4 or reconfigur\$4) near3 (time or period or interval))	US-PGPUB; USPAT	OR	OFF	2007/02/05 15:06
S26	1281	455/432.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:18
S27	1486	455/435.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:19
S28	4852	455/436	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:19
S29	3994	455/445	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:19

EAST Search History

S31	3399	455/456.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:20
S32	380	((cell) near (updat\$4 or register\$5)).ab.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:21
S33	4	S32 and S26	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:59
S34	1	"20050070274"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 10:48
S35	6	S32 and S27	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 11:02
S36	14	S32 and S28	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 11:07
S37	12090	S26 or S27 or S28 or S29 or S31	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 11:07
S38	47	S37 and ((delay\$4 or suppress\$4 or wait\$4 or postpon\$4 or hold\$4) near (updat\$4 or reconfigur\$5))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/07/09 11:10
S39	2	"20050070274"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 03:41
S40	42	(reconfiguration) near6 (command or request) near7 (UTRAN or (core near network))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 03:45
S41	35	((reconfiguration) near6 (command or request) near7 (UTRAN or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 03:46
S42	4412	455/456.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 03:46

EAST Search History

S43	2	S42 and S41	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 03:46
S44	35	((reconfiguration) near6 (command or request) near7 (UTRAN or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:25
S45	196	((reconfiguration) near6 (command or request) near7 ((network or (base adj station) or (base adj station adj controller) or BSC) or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:30
S46	63	((reconfiguration) near6 (command or request) adj4 ((network or (base adj station) or (base adj station adj controller) or BSC) or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:31
S47	8	((reconfiguration) near6 (command or request) adj4 ((network or (base adj station) or (base adj station adj controller) or BSC) or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:32
S48	30	((reconfiguration) near6 (command or request) near7 ((network or (base adj station) or (base adj station adj controller) or BSC) or (core near network))) and ((cell near selection) or (handover or handoff or (hand adj over) or (hand adj off)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:33
S49	4412	455/456.1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:40
S50	1	S49 and S45	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/21 13:40
S51	497	(transmit\$4 or receive\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:29

EAST Search History

S52	385	(detect\$4 or discover\$4) near2 ((user adj equipment) or mobile or terminal or device or pda) near5 (handoff or handover or (cell adj update))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:32
S53	0	S51 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:32
S54	16	(transmit\$4 or receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5) same (handoff or handover or (cell adj update))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:33
S55	367	(receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:35
S56	35	(transmit\$4 or receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 adj command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:36
S57	33	(transmit\$4 or receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 adj (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:38
S58	5	(transmit\$4 or receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 adj instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:42
S59	1	(transmit\$4 or receiv\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 adj program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:54

EAST Search History

S60	59	(transmit\$4 or receive\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 near2 (command or instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:55
S61	6	(transmit\$4 or receive\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 near2 (program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:57
S62	64	(transmit\$4 or receive\$4) near2 ((user adj equipment) or (mobile or terminal or device or pda)) near5 (reconfigur\$5 near2 (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 21:58
S63	5	((user adj equipment) or mobile or terminal or device or pda) near5 (detect\$4 or discover\$4) near2 RSSI near20 (handoff or handover or (cell adj update))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/01/04 22:05
S64	493	((cell adj3 updat\$3) or (handover or handoff or (hand adj over) or (hand adj off))) near15 (reconfigur\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 16:37
S65	26	((cell adj3 updat\$3) or (handover or handoff or (hand adj over) or (hand adj off))) near15 (reconfigur\$6)).ab.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 16:38
S66	8576	((cell adj3 updat\$3) or (handover or handoff or (hand adj over) or (hand adj off)))..ab.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:08
S67	179	S64 and S66	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:08
S68	1410	(receive\$4 or transmit\$4) near6 (configuration) near7 (UE or PDA or ((mobile or wireless or user) adj (equipment or phone to telephone or device or terminal)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:10
S69	9	S67 and S68	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:11

EAST Search History

S70	33	((receiv\$4 or transmit\$4) near6 (configuration)) and S67	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:12
S71	63	((receiv\$4 or transmit\$4) near6 (configuration or reconfiguration)) and S67	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:27
S72	30	S71 not S70	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 17:27
S73	13	S71 not S70 and (activation)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 18:12
S74	1	(apply\$3 adj4 reconfiguration) adj7 (soon)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 19:00
S75	0	(apply\$3 adj4 reconfiguration) adj7 (now)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/06/12 19:00